

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

68 COPEIA

Phrynosoma orbicularia Wiegm. and P. taurus Cope are both abundant in the Valley of Mexico, and specimens of both species when rubbed on the top of the head have time and again been observed to expel blood from the eyes as a result. This experiment, according to Sr. Cuesta, is almost invariably successful in the afternoons during the summer, or, in other words, when the animal's sensitivity is warmed up to its greatest intensity by the hottest weather. In the winter, or after long confinement in unnatural surroundings, the lizards rarely respond in the same manner.

Paul D. R. Ruthling, Mexico City.

CLEMMYS MUHLENBERGI AT LAKE GEORGE, NEW YORK.

Numbers of northern records have recently been published for Muhlenberg's turtle, and as I have been guilty of overlooking some of these, I take pleasure in calling attention to the northernmost record for this species, which the recent writers on the subject seem to have overlooked.

Dr. A. K. Fisher, in the American Naturalist for 1887, page 672, published a brief note entitled "Muhlenberg's Tortoise (*Chelopus muhlenbergi* Schweigger) at Lake George, N. Y."

The specimens were taken at the head of Dunham's Bay, in a sphagnum bog.

E. R. Dunn, Alexandria, Virginia.